



a LEONARDO company



Dispositivi Protezione Individuale D.P.I. srl
Direzione e coordinamento di Leonardo S.p.A.
Via di Cervara 42-00155 Roma Italia; tel. +39 06 2270051;
dpi@dpisekur.com; dpisrl@pec.it; www.dpisekur.com



Respiratory Protection

FULL FACE MASKS

C 607 TWIN



sekur®



RESPIRATORY PROTECTION



Respiratory Protection

FULL FACE MASKS

C 607 TWIN

EPDM full face mask with a wide field of vision. One size fits all.
Complies with EN 136. For use with a couple of dust, gas or combined Sèkur filters Series 200.



DESCRIPTION

- Materials used are not likely to cause allergies or irritations to the wearer's skin.
- Good adaptability to most faces.
- Leakage less than 0,05% corresponding to a protection factor of over 2000.
- Wide field of vision, in excess of 72% of the natural field of vision and beyond 93% of the overlapped field of vision.
- Excellent demisting system.
- Breathing resistance (1,8 mbar during inhalation and 2,0 mbar during exhalation at a flow rate of 160 l/min) well below standard approval maximum limits.
- Reduced dead space (less than 50% of maximum allowed).
- Excellent voice transmission thanks to the frontal position of the speech diaphragm, which allows utilization of a telephone, walkytalky and public address device.
- Good flame and radiant heat resistance: the mask is self extinguishing and maintains full protective capacity even after very severe test (approved according to DIN 58646/10).
- Standard visor made of high impact resistance polycarbonate resistant to acids, even at high concentrations. Optional: multilayer safety glass visor especially resistant to paints and solvents.
- Quick and easy to don and doff.
- Long storage durability, high resistance to ozone.
- Easy to maintain, clean and sanitize. All components can be disassembled without special tools.
- Compatible with the use of safety helmets.
- Neck strap for suspending the mask when not being used.

The C607 TWIN can be fitted only with Sèkur filters Series 200.

Certifications:

The C607 TWIN mask complies with EN 136 and EU Regulation 2016/425.



EPDM rubber face piece with wide internal seal for a tight fit and adjustable fasteners for the attachment of the harness.

Five straps elastic harness made of rubber, with quick release buckles.

Inner mask with non return valves.

Wide field of vision and distortion free visor made of polycarbonate, with fiberglass reinforced synthetic resin frame, easily replaceable.

Double fitting or filters series 200

MAIN FEATURES



ERGONOMIC



COMPACT



COMFORTABLE

PERFORMANCES



Sturdiness



Comfort



Panoramic view



Ergonomics



Easy maintenance

MATERIALS

- **Face seal:** EPDM
- **Inner half mask:** EPDM
- **Visor:** Polycarbonate
- **Connector:** Polyamide (PA)
- **Harness:** EPDM

WEIGHT

580g

ITEM NO.

- **C607 TWIN:** 43330608

ACCESSORIES

Polycarbonate visor	42010230
Multilayer safety glass visor	42010235
Frame for prescription lenses	42010225
Self adhesive protective films (pack of 10)	44323000
Soft carrying case	42010017
Carrying case in synthetic resin	42010145
Screw-in adaptor for 230 series filters	42010600