

a LEONARDO company



Dispositivi Protezione Individuale D.P.I. srl  
Direzione e coordinamento di Leonardo S.p.A.  
Via di Cervara 42-00155 Roma Italia; tel. +39 06 2270051;  
dpi@dpisekur.com; dpisrl@pec.it; [www.dpisekur.com](http://www.dpisekur.com)



## Respiratory Protection FULL FACE MASKS


# C 702



**dpisekur**



RESPIRATORY PROTECTION



a LEONARDO company

Dispositivi Protezione Individuale D.P.I. srl  
Direzione e coordinamento di Leonardo S.p.A.  
Via di Cervara 42-00155 Roma Italia; tel. +39 06 2270051;  
dpi@dpisekur.com; dpisrl@pec.it; www.dpisekur.com



## Respiratory Protection

FULL FACE MASKS

# C 702

The mask is certified as class 3 according to EN 136 (maximum mechanical, heat and flame resistance). For use with a couple of particle, gas and combined filters SERIES 200.



### DESCRIPTION

**Innovative inspiration system** with rectangular inhalation valve and absence of non-return valves, which ensures excellent anti-fog, assuring a minimum level of breathing resistance

**Panoramic visor**, optical class 1 (EN 166), ensures a wide field of vision, without optical distortions.

- Ballistic resistance (STANAG 2920).
- Available with anti-scratch treatment.

**Half mask and face seal in thermoplastic**

- Excellent adaptability to different facial conformation
- Hypoallergenic material

**Comfortable harness fixed on 5 points**

- Available in EPDM or 3D fabric (interchangeable)

### MAIN FEATURES



Panoramic visor

Double fitting for filters series 200



Lightweight Mask

Comfortable harness fixed on 5 points

Half mask and face seal in **thermoplastic**

**Innovative** inspiration system



## MAIN FEATURES

Available in **6 colours** (red, olive green, aquamarine, orange, black and white).



## PERFORMANCES



Sturdiness



Comfort



Panoramic view



Ergonomics



Easy maintenance

## APPLICATION FIELDS



Marine



Industry



Hospital



Chemical  
Pharmaceutical Industry



Agriculture

## MATERIALS

- Face seal: Thermoplastic rubber
- Inner half mask: Thermoplastic rubber
- Visor: Polycarbonate
- Connector: Polyamide (PA)
- Harness: EPDM o 3D fabric

## WEIGHT

- With EPDM harness: 650g.
- With 3D harness: 620g.

## ITEM NO.

Product type*	Item no.
C 702 Red with EPDM harness	43335002R
C 702 Black with EPDM harness	43335002B
C 702 Olive green with EPDM harness	43335002M
C 702 White with EPDM harness	43335002W
C 702 Aquamarine with EPDM harness	43335002G
C 702 Orange with EPDM harness	43335002O
C 702 Red with 3D harness	43335003R
C 702 black with 3D harness	43335003B
C 702 Olive green with 3D harness	43335003M
C 702 White with 3D harness	43335003W
C 702 Aquamarine with 3D harness	43335003G
C 702 Orange with 3D harness	43335003O

\*The above models are also available with treated visor.