



Respiratory Protection BREATHING APPARATUSES

Diablo PI





Respiratory Protection BREATHING APPARUSES

Diablo PI

Self-contained breathing apparatus specially designed for emergency operations in confined spaces in which rapid response is an essential requirement.



DESCRIPTION

The **Diablo PI** self-contained breathing apparatus consists of a bag for quick interventions in confined spaces, supporting harness made of synthetic yarn, self-extinguishing, with attachment and adjustment buckles for quick donning, adaptable to any size.

Red fire-resistant, reflective bag for holding the cylinder and mask (when not worn) ready for use, fitted with reflective strip.

3-liter steel cylinder at 200 bar with DIN connection.

MAIN FEATURES

Positive pressure mask
resistant to both high mechanical and thermal stress (class 3)

E400 demand valve

Medium pressure hose connected to the demand valve directly or through a quick release coupling.

Safety valve

Balance pressure reducer extremely compact


Carrying belt adjustable and comfortable

Pressure gauge

Waist belt

Warning signal external and well audible

High visibility carrying bag light and easy to use



PERFORMANCES



Usability



Configuration options



Sturdiness



Easy maintenance



Easy donning

APPLICATION FIELDS



Confined spaces

CYLINDERS

The self-contained breathing apparatus can be supplied, on demand, with the following cylinders (1):

Cylinder ART. NO.	Material	Cylinder capacity (LT)	Pressure (BAR)	Air supply (LT)	Autonomy (MIN.)*
42000685/90	Acciaio	3	200	600	17
42000696/83	Acciaio	3	300	900	25

(1) The above mentioned item numbers are related to model with/without pressure gauge.

* With an average consumption of 40 lt/min.

CERTIFICATIONS

Approved in accordance with European standard EN 137.

ITEM NO.

- DIABLO PI with carrying bag, C 607 SP/A, EPDM, with quick coupling, DIN 200 connection 4342 7110
- DIABLO PI with carrying bag, C 607 SP/A, EPDM, without quick coupling, DIN 200 4342 7111