

1 - FABBRICANTE

Ragione Sociale **D.P.I. S.r.l.**
Indirizzo della Sede Legale Via di Tor Cervara, 266 – IT 00155 Roma

2 - CARATTERISTICHE DEL DISPOSITIVO DI PROTEZIONE INDIVIDUALE

Tipo DPI per le vie respiratorie - Autorespiratori a circuito aperto ad aria compressa con maschera intera.

Modelli
DIABLO PROFESSIONAL
DIABLO INDUSTRIAL MM
DIABLO INDUSTRIAL MM RPM MMI
DIABLO INDUSTRIAL PI
DIABLO INDUSTRIAL PIZ
DIABLO ADVANCED
DIABLO ADVANCED RPM MMI
DIABLO FF

Tipo Tipo 1 e/o tipo 2 come indicato nel campo "note".

Configurazioni Le possibili configurazioni dei vari componenti per i differenti modelli sono descritte nel fascicolo tecnico.

Fascicolo tecnico FT R 1-2019 Rev.5 del 03/09/2024

Norma di riferimento EN 137:2006

Categoria del DPI III

3 - MODIFICHE

- Approvazione dell'accessorio "Swivel" per i modelli dotati di bardatura light.

4 - VALUTAZIONE E IDONEITÀ

Vista la documentazione tecnica fornita dal Fabbricante e gli esiti delle valutazioni effettuate, i DPI descritti sopra soddisfano i requisiti essenziali di salute e sicurezza applicabili stabiliti dal Regolamento UE 2016/425 Allegato II.

Per i Dispositivi di Protezione Individuale rientranti nella categoria III il presente certificato deve essere utilizzato solo in combinazione con una delle procedure di valutazione della conformità di cui all'articolo 19, lettera c) del Regolamento UE 425/2016.

NOTE:

- La valutazione di conformità è limitata ai soli requisiti del Regolamento 2016/425.
- I modelli della serie DIABLO PROFESSIONAL, DIABLO INDUSTRIAL MM, DIABLO PROFESSIONAL e DIABLO FF prevedono versioni sia di tipo 1 sia di tipo 2.
- I modelli della serie DIABLO INDUSTRIAL MM RPM MMI e DIABLO ADVANCED RPM MMI prevedono solo versioni di tipo 2.
- I modelli delle serie DIABLO INDUSTRIAL PI e DIABLO INDUSTRIAL PIZ prevedono solo versioni di tipo 1.
- Il raccordo tra la maschera pieno facciale e l'erogatore è realizzato secondo la norma EN 148-3 oppure, limitatamente alla sola maschera IDEA, con raccordo rapido secondo la norma DIN 58600.
- La variante con utilizzo della bardatura leggera ("bardatura Light") è prevista per il modelli DIABLO INDUSTRIAL MM, DIABLO ADVANCED e DIABLO FF, sia nella versione tipo 1 sia nella versione tipo 2.
- Le varianti 4320 e 5400 del modello DIABLO FF superano la massima massa consentita dalla EN 137:2006 (18 kg). Il mancato rispetto del requisito è giustificato in relazione alla specifica destinazione d'uso.

L'utilizzo del presente Certificato è vincolato al rispetto dei regolamenti di certificazione di ITALCERT applicabili

- Il fascicolo tecnico esaminato di cui al punto 2 del presente documento è conservato presso la sede di ITALCERT.
- Il presente certificato annulla e sostituisce il certificato PPE026AT2313.
- La valutazione di conformità si basa anche sulle verifiche riportate nei documenti elencati nella sezione ALLEGATI.

5 - ALLEGATI

- Rapporto di prova PPE026RP3536 emesso da ITALCERT il 2024-07-23
- Rapporto di prova PPE026RP3503 emesso da ITALCERT il 2023-12-29
(allegato al certificato PPE026AT2313 emesso da ITALCERT)
- Rapporto di prova PPE026RP3390 emesso da ITALCERT il 2023-02-12
(allegato al certificato PPE026AT2188 emesso da ITALCERT)
- Rapporto di prova PPE026RP3045 emesso da ITALCERT il 2021-01-26
(allegato al certificato PPE026AT1956 emesso da ITALCERT)
- Rapporto di prova PPE026RP2676 emesso da ITALCERT il 2019-01-31
(allegato al certificato PPE026AT1708 emesso da ITALCERT)
- Rapporto di prova PPE026RP2630 emesso da ITALCERT il 2018-08-20
(allegato al certificato PPE026AT1708 emesso da ITALCERT)
- Rapporto di prova PPE026RP2482 emesso da ITALCERT il 2017-02-24
(allegato al certificato PPE026AT1515 emesso da ITALCERT)
- Rapporto di prova PPE026RP2239 emesso da ITALCERT il 2014-10-22
(allegato al certificato PPE026AT1277 emesso da ITALCERT)
- Rapporto di prova PPE026RP2132 emesso da ITALCERT il 2014-01-24
(allegato al certificato PPE026AT1216 emesso da ITALCERT)
- Rapporto di prova PPE026RP1691 emesso da ITALCERT il 2011-02-18
(allegato al certificato PPE026AT0950 emesso da ITALCERT)
- Rapporto di prova PPE/RP 1094-06 emesso da ITALCERT il 2006-09-29
(allegato al certificato PPE/AT 690-06 emesso da ITALCERT)
- Rapporto di prova PPE/RP 1093-06 emesso da ITALCERT il 2006-09-29
(allegato al certificato PPE/AT 689-06 emesso da ITALCERT)
- Rapporto di prova PPE/RP 1091-06 emesso da ITALCERT il 2006-09-29
(allegato al certificato PPE/AT 683-06 emesso da ITALCERT)
- Rapporto di prova PPE/RP 1080-06 emesso da ITALCERT il 2006-07-26
(allegato al certificato PPE/AT 276-98 ed estensione 02-07/06 emesso da ITALCERT)
- Rapporto di prova PPE/RP 1001-05 emesso da ITALCERT il 2005-10-04
(allegato al certificato PPE/AT 655-05 emesso da ITALCERT)
- Rapporto di prova PPE/RP 834A-04 emesso da ITALCERT il 2004-01-27
(allegato al certificato PPE/AT 563-04 emesso da ITALCERT)
- Rapporto di prova PPE/RP 623-02 emesso da ITALCERT il 2002-03-27
(allegato al certificato PPE/AT 456.1-02 emesso da ITALCERT)
- Rapporto di prova PPE/RP 617-02 emesso da ITALCERT il 2002-03-04
(allegato al certificato PPE/AT 454-02 emesso da ITALCERT)
- Rapporto di prova PPE/RP 555-01 emesso da ITALCERT il 2001-05-14
(allegato al certificato PPE/AT 422-01 emesso da ITALCERT)
- Rapporto di prova PPE/RP 518-01 emesso da ITALCERT il 2001-02-14
(allegato al certificato PPE/AT 401-01 emesso da ITALCERT)
- Rapporto di prova PPE/RP 493-00 emesso da ITALCERT il 2000-09-27
(allegato al certificato PPE/AT 323.1-99 ed estensione 01-09/00 emesso da ITALCERT)
- Rapporto di prova PPE/RP 411.1-99 emesso da ITALCERT il 1999-12-29
(allegato al certificato PPE/AT 323.1-99 ed estensione 01-09/00 emesso da ITALCERT)

L'utilizzo del presente Certificato è vincolato al rispetto dei regolamenti di certificazione di ITALCERT applicabili

Rapporto di prova PPE/RP 395-99 emesso da ITALCERT il 1999-02-11
(allegato al certificato PPE/AT 314-99 emesso da ITALCERT)

Rapporto di prova PPE/RP 341-98 emesso da ITALCERT il 1998-09-02
(allegato al certificato PPE/AT 276-98 ed estensione 01-03/02 emesso da ITALCERT)

Rapporto di prova 4683 A/03 emesso da EXAM (NB 0158) il 2003-10-30
(allegato al certificato PPE/AT 276-98 ed estensione 02-07/06 emesso da ITALCERT)

Rapporto di prova 5063/03 emesso da EXAM (NB 0158) il 2003-04-01
(allegato al certificato PPE/AT 276-98 ed estensione 02-07/06 emesso da ITALCERT)

Rapporto di prova 5790 / 05 emesso da EXAM (NB 0158) il 2005-11-29
(allegato al certificato PPE/AT 276-98 ed estensione 02-07/06 emesso da ITALCERT)

Data di emissione: 2024-09-06

Data di scadenza: 2029-01-23

ITALCERT S.r.l.

Dr. Ing. Roberto Cusolito
Amministratore Delegato

L'utilizzo del presente Certificato è vincolato al rispetto dei regolamenti di certificazione di ITALCERT applicabili

1 - MANUFACTURER

Name or trade mark **D.P.I. S.r.l.**
Legal address Via di Tor Cervara, 266 – IT 00155 Roma

2 - CHARACTERISTICS OF THE PERSONAL PROTECTIVE EQUIPMENT

Type Respiratory protective devices - Self-contained open circuit breathing apparatus with full face mask

Modelli
DIABLO PROFESSIONAL
DIABLO INDUSTRIAL MM
DIABLO INDUSTRIAL MM RPM MMI
DIABLO INDUSTRIAL PI
DIABLO INDUSTRIAL PIZ
DIABLO ADVANCED
DIABLO ADVANCED RPM MMI
DIABLO FF

Type Type 1 and/or type 2 as detailed in “notes”.

Configuration The possible configurations of the various components for the different models are described in the technical file.

Technical file FT R 1-2019 Rev 5 dated 03/09/2024

Reference standard EN 137:2006

Category of the PPE III

3 - MODIFICATION

- Approval of “Swivel” accessory, applicable to the models equipped with light harness.

4 - EVALUATION AND ASSESSMENT

In consideration of the technical documentation supplied by the Manufacturer and of the results of the evaluations, the PPE listed above meets the basic health and safety requirements as specified by the Annex II of the Regulation EU 2016/425.

For Personal Protective Equipment of category III the present Certificate must be used only in combination with one of the evaluation of conformity procedures of which at article 19, letter c) of the Regulation EU 2016/425.

NOTES:

- The evaluation of conformity is limited to the requirements of the Regulation 2016/425.
- Models of families DIABLO PROFESSIONAL, DIABLO INDUSTRIAL MM, DIABLO PROFESSIONAL and DIABLO FF include both type 1 and type 2 versions.
- Models of families DIABLO INDUSTRIAL MM RPM MMI and DIABLO ADVANCED RPM MMI include only type 2 versions.
- Models of families DIABLO INDUSTRIAL PI e DIABLO INDUSTRIAL PIZ include only type 1 versions.
- The connection between the full face mask and the regulator is designed according to EN 148-3 standard or, limited to the IDEA mask only, with a quick coupling according to the DIN 58600 standard.

The use of the present Certificate is subordinated to the observance of ITALCERT applicable regulations for the certification

- The variant with the use of the "light harness" is foreseen for the DIABLO INDUSTRIAL MM, DIABLO ADVANCED and DIABLO FF models, both for type 1 and type 2 version.
- The variants 4320 and 5400 of model DIABLO FF exceed the maximum allowable mass for EN 137:2006 (18 kg). The non-compliance with this requirement is supported by the specific intended use.
- The examined technical file of which at point 2 of the present document is available at ITALCERT.
- This certificate replaces certificate PPE026AT2313, which is hereby withdrawn.
- This is the English translation of the EU Type Examination Certificate PPE026AT2402 issued by ITALCERT in Italian language. In case of discrepancy, the original version in Italian shall prevail.
- The compliance evaluation is based also on the test recorded in the documents listed in section ANNEXES.

5 - ANNEXES

Test report PPE026RP3536 issued by ITALCERT on 2024-07-23

Test report PPE026RP3503 issued by ITALCERT on 2023-12-29
(enclosed to the certificate PPE026AT2313 issued by ITALCERT)

Test report PPE026RP3390 issued by ITALCERT on 2023-02-12
(enclosed to the certificate PPE026AT2188 issued by ITALCERT)

Test report PPE026RP3045 issued by ITALCERT on 2021-01-26
(enclosed to the certificate PPE026AT1956 issued by ITALCERT)

Test report PPE026RP2676 issued by ITALCERT on 2019-01-31
(enclosed to the certificate PPE026AT1708 issued by ITALCERT)

Test report PPE026RP2630 issued by ITALCERT on 2018-08-20
(enclosed to the certificate PPE026AT1708 issued by ITALCERT)

Test report PPE026RP2482 issued by ITALCERT on 2017-02-24
(enclosed to the certificate PPE026AT1515 issued by ITALCERT)

Test report PPE026RP2239 issued by ITALCERT on 2014-10-22
(enclosed to the certificate PPE026AT1277 issued by ITALCERT)

Test report PPE026RP2132 issued by ITALCERT on 2014-01-24
(enclosed to the certificate PPE026AT1216 issued by ITALCERT)

Test report PPE026RP1691 issued by ITALCERT on 2011-02-18
(enclosed to the certificate PPE026AT0950 issued by ITALCERT)

Test report PPE/RP 1094-06 issued by ITALCERT on 2006-09-29
(enclosed to the certificate PPE/AT 690-06 issued by ITALCERT)

Test report PPE/RP 1093-06 issued by ITALCERT on 2006-09-29
(enclosed to the certificate PPE/AT 689-06 issued by ITALCERT)

Test report PPE/RP 1091-06 issued by ITALCERT on 2006-09-29
(enclosed to the certificate PPE/AT 683-06 issued by ITALCERT)

Test report PPE/RP 1080-06 issued by ITALCERT on 2006-07-26
(enclosed to the certificate PPE/AT 276-98 and extension 02-07/06 issued by ITALCERT)

Test report PPE/RP 1001-05 issued by ITALCERT on 2005-10-04
(enclosed to the certificate PPE/AT 655-05 issued by ITALCERT)

Test report PPE/RP 834A-04 issued by ITALCERT on 2004-01-27
(enclosed to the certificate PPE/AT 563-04 issued by ITALCERT)

Test report PPE/RP 623-02 issued by ITALCERT on 2002-03-27
(enclosed to the certificate PPE/AT 456.1-02 issued by ITALCERT)

Test report PPE/RP 617-02 issued by ITALCERT on 2002-03-04
(enclosed to the certificate PPE/AT 454-02 issued by ITALCERT)

The use of the present Certificate is subordinated to the observance of ITALCERT applicable regulations for the certification

he

Test report PPE/RP 555-01 issued by ITALCERT on 2001-05-14
(enclosed to the certificate PPE/AT 422-01 issued by ITALCERT)

Test report PPE/RP 518-01 issued by ITALCERT on 2001-02-14
(enclosed to the certificate PPE/AT 401-01 issued by ITALCERT)

Test report PPE/RP 493-00 issued by ITALCERT on 2000-09-27
(enclosed to the certificate PPE/AT 323.1-99 and extension 01-09/00 issued by ITALCERT)

Test report PPE/RP 411.1-99 issued by ITALCERT on 1999-12-29
(enclosed to the certificate PPE/AT 323.1-99 and extension 01-09/00 issued by ITALCERT)

Test report PPE/RP 395-99 issued by ITALCERT on 1999-02-11
(enclosed to the certificate PPE/AT 314-99 issued by ITALCERT)

Test report PPE/RP 341-98 issued by ITALCERT on 1998-09-02
(enclosed to the certificate PPE/AT 276-98 and extension 01-03/02 issued by ITALCERT)

Test report 4683 A/03 issued by EXAM (NB 0158) on 2003-10-30
(enclosed to the certificate PPE/AT 276-98 and extension 02-07/06 issued by ITALCERT)

Test report 5063/03 issued by EXAM (NB 0158) on 2003-04-01
(enclosed to the certificate PPE/AT 276-98 and extension 02-07/06 issued by ITALCERT)

Test report 5790 / 05 issued by EXAM (NB 0158) on 2005-11-29
(enclosed to the certificate PPE/AT 276-98 and extension 02-07/06 issued by ITALCERT)

Date of issue: 2024-09-06

Expiry date: 2029-01-23

ITALCERT S.r.l.

Dr. Ing. Roberto Cusolito
Amministratore Delegato

The use of the present Certificate is subordinated to the observance of ITALCERT applicable regulations for the certification